
Medical Transition

Puberty Blockers and Cross-sex Hormones

Medical Transition


Puberty Blockers and Cross Sex Hormones for Minors

There has been a 4000% increase in female gender dysphoria referrals in the last decade, especially among pre-teens and teens.




But why are three-year-olds claiming they are the "wrong gender"?





What kinds of books are being offered to young children these days?

Notice how many of these books are about a boy who feels he is really a girl.




These are just a few of hundreds of books available to young children.

Do children become gender confused because of what they hear and are told at home or in the culture?

What are kids hearing?

This graphic negating biologic and binary sex classifications is used in many Texas schools.



EARLY CHILDHOOD EXPERIENCE

Most children between the ages of two and four years correctly identify their own biological sex.

Most children between the ages of four and five years begin to understand sex is stable - a boy grows into man and a girl to a woman.



Very young children believe what we tell them. They don't have the independent experience to evaluate our statements. Dr. Michelle Cretella

Executive Director of American College of Pediatricians

WHY ARE THERE 3-5 YR OLD TRANS?



Dr. Susan Witt (Professor of Child Development at the University of Akron)

Attitudes and behaviors learned first in the home are reinforced by child's peers, school experience, and television viewing.

Miroslav Djordjevic (Pro-trans doctor)

The rise in very young children claiming to be in the wrong body may be parents obliging a child's wish to explore.

It's something like a fashion.

WHAT HAPPENS WHEN A CHILD CLAIMS TO BE TRANSGENDER?

- \rightarrow Social Affirmation Praise Hero Status and Acceptance
- ightarrow Puberty blockers are often administered in Tanner Stage II

WHAT'S TANNER STAGE II? WHY THEN?

Before the first visible sign of sexual maturation. For girls, puberty ranges from 8 to 13. For boys, from 9 to 14.



Neuropsychological Effects of Puberty Blockers

Emotional lability, mood changes, headaches, insomnia

Results from study at Tavistock gender clinic (UK)

No statistically significant difference in psychosocial functioning Children reported greater self harm.

Girls exhibited more behavioral and emotional problems, greater dissatisfaction with body

WHAT ARE THE PHYSICAL EFFECTS OF PUBERTY BLOCKERS

Arrest normal sexual maturation

Bone length - bone density (height – early osteoporosis) Development of secondary sex characteristics (infertility) Sexual organization of the brain (cognition, memory, execution function)

Pre-dispose to disease states

Cardiovascular (hypertension, stroke, blood clots, heart attack) Cancers (breast, ovarian, testicular and more) Diabetes and other hormonal imbalances; osteoporosis Premature menopause and andropause

WHAT HAPPENS NEXT?



Almost 100% of kids taking PBs go on to use cross-sex hormones


A study has shown all but one child treated for gender dysphoria with puberty-blocking drugs at a leading NHS clinic - The Tavistock and Portman Trust - also received crosssex hormones.



Tavistock puberty blocker study published after nine years

IN THE SHORT TERM, CROSS-SEX HORMONES GIVE KIDS WHAT THEY WANT-


A girl looks (beard, body hair) and sounds (lower voice) more masculine. A boy looks (no beard, smaller bones) and sounds (voice) more feminine.



But can you change the DNA in *even one* of the 30 trillion cells of your body?

Dr. Michael Laidlaw, a pediatric endocrinologist, analyzes I AM JAZZ popular children's book about trans-toddler-to-teen-star Jazz https://www.lifesitenews.com/opinion/an-endocrinologist-studies-the-transgender-movementsmost-popular-kids-book





Gender Dysphoria" https://www.youtube.com/watch?v=2iJHf1BKPJY Sept. 6, 2019

Normal (blue) healthy female testosterone level - 15 to 70

Unhealthy levels of testosterone

Polycystic ovarian syndrome -PCOS disorder

Endocrine tumor – disease state

Female to male "transitioning" testosterone levels are 5 to 20 times higher than the female body is regulated for.

Male testosterone range 300-1200

Results of taking Puberty Blockers and Cross-sex Hormones

Arrest normal sexual maturation—

Bones, sexual organs, secondary sex characteristics, sexual organization of the brain including memory, cognition, and executive function


Pre-dispose to disease states-

Cardiovascular effects (hypertension, stroke, blood clots, heart attack), cancers, diabetes, osteoporosis, premature menopause and andropause

Surgical mutilation-

Removal of healthy organs such as mastectomy, hysterectomy, oophorectomy, orchiorectomy (castration), penectomy

Regret and detransitioning...



ls Keira Bell v Tavistock a bellwether?

Parents protest gender-transitioning children outside Children's Hospital Los Angeles, 12-28-2020. **Coutesy of Los Angeles parents**

TEENS NEED LOVE-NOT

MASTECTOMIES

CANNOT

CANNENT

LOCKER

NOT

THICAL

ATMENT

WHO

IS

KEIRA

BELL?

Dr. David Bell was a consulting psychiatrist at Tavistock for 24 years. Bell recently said using an affirmation approach instead of neutrality had caused serious damage to gender confused children, who were inappropriately pushed through transition while their complex psychological problems were not investigated.

Bell added that puberty blockers have no evidence base for use.

 $\label{eq:https://www.dailysignal.com/2021/02/09/transition-treatment-harms-kids-veteran-psychiatrist-at-uk-gender-identity-clinic-says/$

Swedish psychiatrist Christopher Gillberg testified that the use of puberty blockers is basically "a live experiment" on children. He wrote, "We have left established evidencebased clinical practice and are using powerful life-altering medication for a vulnerable group of adolescents and children based on a belief."

> https://www.bioedge.org/bioethics/london-newspaper-reveals-shocking-evidence-about-transgendertreatments/13664?inf_contact_key=9f35d93979e1dda202ff4eb291404b3416358d5485884e2f31e6019a0d26c8b0

U.S. states moving to protect vulnerable mínors → In a near-unanimous vote, the Alabama Senate passed a bill, called the "Vulnerable Child Compassion and Protection Act," to ban the medicalized gender-transitioning of minors, outlawing the prescribing of puberty blockers, cross-sex hormones, and performing genital mutilation and double mastectomies on youth younger than 19.

The bill will soon head to the Alabama House, which has already passed a companion bill.

https://www.christianpost.com/news/alabama-senatepasses-bill-to-ban-giving-puberty-blockers-to-kids.html A South Carolina bill has also been introduuced called the Vulnerable Child Compassion and Protection Act, to prohibit medical experimentation on minors. It is written with clear definitions and restrictions.

> https://www.theblaze.com/news/democrat-introducesbill-banning-transgender-procedures-on-minors

APRIL 6 – **1ST STATE TO PASS** NO MED TRANS FOR MINORS LAW

experimentation-act-to-ban-trans-surgery-puberty-blockers-for-minors



Please protect kids and teens in **Texas** from medical transition!

